
Flood Pump System




ITEM	PART #	DESCRIPTION					
01	72620ABF	REPRO Base, Black					
02	72633A	Axle, 23.375" Long					
03	X9066	Wheel, Black					
04	7GL002	Push Nut, 1/2"					
05	7CM007	Washer, 1/2 USS Flat,					
06	72635A	Spacer, 1/2" ID x 3/4"					
07	72641A	Gasket, Vac Manifold, Short					
80	72630A	Cover, Vac Manifold, Flat					
09	70020B	Gasket, Vacuum Motor Seal					
10	X9204	Rod, 10-24, "T" Bolt					
11	72605A	Spacer, 1/8					
12	7BF030	Nut, 10-24 Nylon Insert Lock					
13	72365A	Motor, 3-Stage, 120V					
14	7CM003	Washer, #10 USS Flat					
15	7BF003	Nut, Kep, #10-24, Zinc					
16	72000A	Rod, 3/16 x 5-1/2					
17	7CW002	Screw, #6 x 3/4 Phil Pan					
18	72662A	Screw, #10 x 1/2", Flat Phil					
19	72661A	Wand Holder					
20	X9157	Cover, Pressure Regulator					
21	72636A	Cover Plate, Bottom					
22	72388A	Screw, #10 x 5/8, Tap Phil					
23	PX65	Caster, 4" Black					

		()
ITEM	PART #	DESCRIPTION
24	7DT001	Screw, 5/16-18 x 5/8, Hex
25	PX154	Garden Hose Fitting
26	PX153	Nipple, 1/2 NPT x 1-1/2"
27	X8239	Washer, 1/2 USS Flat Zinc
28	PX152	Coupling, 1/2 NPT
29	PC25	1/2" to 1/2" Male / Male Barb
30	72665A	Insert, Tee nut
31	72642A	Gasket, Vac Manifold, Circle
32	72625A	Cover, Vacuum Manifold
33	X9069	End Loop, SS, w/ 2 Holes
34	71644A	Screw, #10 x 1 Phil Pan
35	72667A	Washer, Rubber, .29 ID
36	X9199	Pump, Self-Priming Impeller
37	7BF004	Nut, Kep, 1/4-20, Zinc
38	7DL008	Clamp, 1/2" Worm Gear
39	70079C	Hose, 1/2" Wire Reinforced
40	71237A	Bracket, Motor Mount, S-V
41	7GF033	Pad, Motor Mount
42	X8268	Bolt, 1/4-20 x 3/4, Hex Tap
43	X9014	Hinge
44	7BS003	Screw, 1/4-20 x 1/2
45	7CY006	Washer
46	71743A	Screw, 8-32 x 3/16 PHMS

ITEM	PART #	DESCRIPTION
47	72702A	Cover, Fan
48	72703A	Screw, 8-32 x 2" L, Phi
49	72142A	Plug, 7/8 Black Nylon
50	PD8	Strain Relief, 1/2" NPT
51	7FC010	Circuit Breaker, 8A
52	PX87	Rocker Switch, DPST, 20A,
		w/ Protective Cover
53	X9173	Hole Plug, Switch Hole
54	72116A	Switch Cover, Blank
55	72387A	Screw, #8 x 5/8, Black
56	PX112	Pigtail, Black
57	72632B	Switch Panel, with fan
58	X8008N	Nut, Lock, 1/2" Steel Conduit
59	X8251B	Plug, Plastic, Black
60	72684A	Screw, 1/4-20 x 2-1/2" Phil,
Pan, I	External Too	oth, Full Thread
61	X8260	Nut, 8-32 Lock w/ Nylon
		Insert
62	X9168	Spacer, Pad Hinge
63	72700A	Fan, Cooling, 115V
64	72699A	Foam, Switch Panel
65	FP8	Cap with chain
		•

5 Save These Instructions

Flood Pump System



ITE	EM PART#	DESCRIPTION	ITEM	PART #	DESCRIPTION	ITEM	PART #	DESCRIPTION
01	72619A	Tank, Recycling, New Pro	15	X9223	Inlet Fitting Assembly	30	PX33	Vacuum Tube
02	PX25	Fitting, Plastic Bulkhead, 1-	16	PX14A	Dump Valve Gasketr	31	72615A	Coupling, PVC, 1-1/2"
1/2" NPTto 1-1/2" Hose Barb			17	7BH004	Screw, 10-32 x 3/8, Phil Pan	32	PX63	Coupler, Plastic, 1-?" Slip
03	72656A	Hose, 1-1/2" Wire	18	72173A	Spring Clip, Black	33	X8235	Washer, 1/4" Flat, USS Zinc
04	7DL005	Clamp, 1-1/2 Worm Gear	19	71495A	Pump Protection Filter	34	72486A	Spacer, 1.625 Long
05	X9224	Adapter, 1/2 to 1/4 NPT	20	72326A	Inlet Filter	35	72679A	Gasket, Drain Inner
06	X9014	SCE Tank Hinge	21	X9221	Hold-Down Latch	36	72680A	Gasket, Drain Outte
07	7BS003	Screw, 1/4-20 x 1/2"	22	72323B	Gasket, Lid 43"	37	PAS37	Drain Hose
80	PD8	Strain Relief, 1/2" NPT	23	72321A	Lid, Tank	38	PAS36	Expansion Plug Drain
09	72274A	Washer, 3/4" Neoprene	24	X9236	Filter, VAC Inlet Protection	39	72678A	Tubing, Vinyl, 1" ID
10	PX48	Fitting, Brass, Bulkhead, 3/4"	25	71644A	Screw	40	72677A	Drain Fitting, 1"
11	7AT004	Barb, 1/2 Hose, 1/4 Male	26	X9213	Float Switch	41	72645A	Bolt, 5/16-18 x 2-1/4, Hex
12	72660A	Rope	27	X9154	Pipe, PVC, Schedule 40	42	X8025	Wheel, Black, 4" x 1-1/4"
13	72388A	Screw, #10 x 5/8, Tapping	28	PX48G	Gasket, Fiber, 1.125 OD	43	X9239	Elbow, PVC, 1/2 NPT
14	72631A	Latch Bracket	29	PX14	Dump Valve Gasket			
					-			

Conditional Guarantee

The manufacturer warrants that products manufactured are free from defects in material and workmanship under normal use and service for a period of one year from date of purchase provided such goods are installed, operated and maintained in accordance with written manuals and/or other instructions on housings and parts and workmanship, two years on motor. We will repair or replace without cost, any part of the unit, which when examined by our authorized repair station or at our factory, is found to be legitimately defective. This guarantee is null and void on any part which has been subject to alteration, accident, abuse or misuse. The guarantee is valid only to the original using purchaser.

